

CUT SHEET

RAIL

SMR100 RAIL






Mechanical Properties


Material: 6005-T5
Aluminum Weight: 0.4126 lbs/ft (0.614 kg/m)
Ultimate Tensile Strength: 37.7 ksi (260 MPa)
Yield Strength: 34.8 ksi (240 MPa)

Section Properties

Sx: 0.196 in3 (3.21 cm3)
Sy: 0.146 in33 (2.39 cm)
Area (X-section): 0.352 in2 (2.27 cm2)

SMR300 RAIL





Mechanical Properties

Material: 6005-T5 Aluminum
Weight: 0.783 lbs/ft (1.167 kg/m)
Ultimate Tensile Strength: 37.7 ksi (260 MPa)
Yield Strength: 34.8 ksi (240 MPa)

Section Properties

Sx: 0.527 in3 (8.64 cm3)
Sy: 0.303 in33 (4.97 cm)
Area (X-section): 0.669 in2 (4.32 cm2)

PART # / DESCRIPTION	
SMR100-168-B	SMR100 Rail, 168", Black
SMR100-168-M	SMR100 Rail, 168", Mill Finish
SMR300-174-M	SMR300 Rail, 174", Mill Finish
SMR300-212-M	SMR300 Rail, 212", Mill Finish


Dimensions shown are inches (and millimeters) Details are subject to change without notice


SUNMODO LEADING by DESIGN

CUT SHEET

SMR

MID CLAMP






Material: Aluminum and Stainless Steel hardware

END CLAMP






Materials: Aluminum and Stainless Steel hardware

BOTTOM END CLAMP





Materials: Aluminum and Stainless Steel hardware

PART # / DESCRIPTION	
CLMP-MID-SMR-S	Mid Clamp, SMR Pop-On, Silver
CLMP-MID-SMR-B	Mid Clamp, SMR Pop-On, Black
CLMP-END-SMR-S	End Clamp, SMR Pop-On, Silver
CLMP-END-SMR-B	End Clamp, SMR Pop-On, Black
CLMP-BOT-SMR100-B	Bottom End Clamp, SMR300, Black

Dimensions shown are inches (and millimeters) Details are subject to change without notice

SUNMODO LEADING by DESIGN


CUT SHEET

SMR

SMR RAIL SPLICES




SMR100 Rail Splice







SMR300 Rail Splice



Material: Aluminum and Stainless Steel hardware

L-FOOT ADAPTORS





Material: Aluminum and Stainless Steel hardware

PART # / DESCRIPTION	
SPLC-SMR100	Rail Splice, SMR100
SPLC-SMR300	Rail Splice, SMR300
LFA-SMR100-S	L-Foot Adaptor, SMR100, Silver
LFA-SMR100-B	L-Foot Adaptor, SMR100, Black
LFA-SMR300-S	L-Foot Adaptor, SMR300, Silver

Dimensions shown are inches (and millimeters) Details are subject to change without notice


SUNMODO LEADING by DESIGN

CUT SHEET

SMR


3" TALL OPEN L-FOOT






Material: Aluminum

4" TALL OPEN L-FOOT





Material: Aluminum

PART # / DESCRIPTION	
LFT-OPEN-3-S	L-Foot, Open, 3", Silver
LFT-OPEN-3-B	L-Foot, Open, 3", Black
LFT-OPEN-4-S	L-Foot, Open, 4", Silver
LFT-OPEN-4-B	L-Foot, Open, 4", Black

Dimensions shown are inches (and millimeters) Details are subject to change without notice


SUNMODO LEADING by DESIGN

CUT SHEET

SMR

WIRE MANAGEMENT CLIP






Material: Black Polyamide

RAIL END CAP





Material: EPDM

PART # / DESCRIPTION	
WIRE-SMR100-B	Wire Management Clip, SMR100
CAP-SMR100-B	Rail End Cap, SMR100

Dimensions shown are inches (and millimeters) Details are subject to change without notice

SUNMODO LEADING by DESIGN